UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/512,087	04/07/2005	Kiyoaki Takiguchi	261189US6PCT	9110
22850 7590 02/22/2010 OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, L.L.P. 1940 DUKE STREET ALEXANDRIA, VA 22314			EXAMINER	
			PARK, EDWARD	
ALLAANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			2624	
			NOTIFICATION DATE	DELIVERY MODE
			02/22/2010	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

ADVISORY ACTION ATTACHMENT TO PAPER NO. 20100203

Response to Arguments

Applicant's arguments filed on 1/15/10, in regards to claims 59, 65, 71, have been fully considered but they are not persuasive. Applicant argues that Marchitto does not teach a shield which ... from reaches the detecting unit (see pg. 2, fourth paragraph – pg. 3, second paragraph). This argument is not considered persuasive since Marchitto teaches the limitation within fig. 5, col. 6, lines 10-61, where electromagnetic spectrum where tissue is highly absorbing, it is also highly scattering. Thus, a multiphoton effect can be used to gather absorption and scattering imaging information. For example, considering that blood absorbs strongly at about 400-425 nm, however radiant energy with this wavelength (which appears blue) is so strongly absorbed in tissue that it only penetrates superficially. However, it is possible with two-photon scattering and absorption to obtain information about blood using radiant energy at 800-850 nm. Such radiant energy is quite penetrating in tissue, and yet will interact with blood if the photon density per unit time is large enough. It is therefore possible to obtain imaging information (FIG. 5) using a pulsed laser producing near infrared radiant energy. For practical reasons, such an imaging scheme may benefit from using a Q-switched Nd:YAG laser (1064 nm), as such lasers are relatively inexpensive and fortuitously blood absorbs strongly at 532 nm. The 532 nm scattered information could be collected in synchrony with the pulsed Nd:YAG laser. On alternate scans, white light or infrared images could be captured. Comparison of the two could be used to determine the location of the blood (or other light

Application/Control Number: 10/512,087 Page 3

Art Unit: 2624

absorbing/scattering chromophore) in the field of view. Examiner notes that it is clearly shown

in fig. 5, and the corresponding text, where a pulse Nd:YAg laser and a 532 nm bandpass filter

is utilized to obtain blood vessel information by filtering scattered absorption tissue

information. The claim limitation calls for a shield to prevent near infra-red light scattered in a

shall portion from reaching the detecting unit, and the cited text teaches this though the

bandpass filter which allows a certain wavelength range where blood vessel information is

captured while highly scattered surrounding tissue information is excluded.

Regarding claims 60-62, 64, 66-68, 70, 72, 73, the applicant argues that the dependent

claims are allowable due to the same reasons as stated within claims 59, 65, 71 (see pg. 3, third

paragraph). This argument is not considered persuasive since claims 59, 65, 71 stand rejected

and the arguments can be seen above.

/Brian Q Le/

Primary Examiner, Art Unit 2624